

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Product form : Mixture
 Trade name : Scent 104
 UFI : JAJ0-U02A-1002-S5HM
 Product code : 2458091

1.2. Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses

Main use category : Industrial use, Professional use
 Use of the substance/mixture : Fragrance composition (fragrance).

1.3. Details of the supplier of the safety data sheet

LAB SAS
 rue de la clef des champs
 68600 Volgelsheim
 France
 T 0389227765
office@labsys.fr

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
 Skin sensitisation, Category 1 H317
 Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains

: citronellol; nerol; 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6))Undec-5 and 4-en-5-yl)propan-1-ol; alpha-iso-methylionone; geraniol; cinnamaldehyde; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; coumarin; linalool; methyl cedryl ether; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one; Eugenol; (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one; caryophyllene; isoeugenol

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.
 H411 - Toxic to aquatic life with long lasting effects.

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P273 - Avoid release to the environment.
P280 - Wear protective gloves, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents and container to a sorting center, in accordance with local regulations.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|---|---------------------|
| Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | geraniol (106-24-1) |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|---|
| benzyl benzoate | CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 | 10.53 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Chronic 2, H411 |
| 1,4-dioxacycloheptadecane-5,17-dione | CAS-No.: 105-95-3 EC-No.: 216-133-4 | 5 | Aquatic Chronic 3, H412 |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | CAS-No.: 54464-57-2 EC-No.: 259-174-3 | 3 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 |
| vanillin | CAS-No.: 121-33-5 EC-No.: 204-642-4 | 2.52 | Eye Irrit. 2, H319 |
| 3-ethoxy-4-hydroxybenzaldehyde | CAS-No.: 121-32-4 EC-No.: 204-464-7 | 2.5 | Eye Irrit. 2, H319 |
| coumarin | CAS-No.: 91-64-5 EC-No.: 202-086-7 | 2.5 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1B, H317 |
| linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 | 2.04 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| 2,6-dimethyloct-7-en-2-ol | CAS-No.: 18479-58-8 EC-No.: 242-362-4 | 2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H336 |
| methyl cedryl ether | CAS-No.: 19870-74-7 EC-No.: 243-384-7 | 2 | Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|--|
| 2-phenylethanol | CAS-No.: 60-12-8 EC-No.: 200-456-2 | 2 | Acute Tox. 4 (Oral), H302 (ATE=1610 mg/kg) Eye Irrit. 2, H319 |
| citronellol | CAS-No.: 106-22-9 EC-No.: 203-375-0 | 1.01 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| geraniol | CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 | 0.53 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | CAS-No.: 24720-09-0 EC-No.: 246-430-4 | 0.5 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| nerol | CAS-No.: 106-25-2 EC-No.: 203-378-7 | 0.49 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| alpha-iso-methylionone | CAS-No.: 127-51-5 EC-No.: 204-846-3 | 0.45 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6))]Undec-5 and 4-en-5-yl)propan-1-ol | CAS-No.: 929625-08-1 EC-No.: 279-822-9 | 0.4 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| alpha-cedrene | CAS-No.: 469-61-4 EC-No.: 207-418-4 | 0.4 | Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| Eugenol | CAS-No.: 97-53-0 EC-No.: 202-589-1 | 0.32 | Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- | CAS-No.: 198404-98-7 EC-No.: 427-900-1 | 0.2 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one | CAS-No.: 23726-93-4 EC-No.: 245-844-2 | 0.15 | Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411 |
| caryophyllene | CAS-No.: 87-44-5 EC-No.: 201-746-1 | 0.12 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| cinnamaldehyde | CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 | 0.034 | Acute Tox. 4 (Dermal), H312 (ATE=1260 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412 |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------|---|------|---|
| isoeugenol | CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X | 0.01 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits (%) |
|----------------|--|--------------------------------------|
| cinnamaldehyde | CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 | (0.01 ≤ C ≤ 100) Skin Sens. 1A; H317 |
| isoeugenol | CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X | (0.01 ≤ C ≤ 100) Skin Sens. 1A; H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : If you feel unwell, seek medical advice. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |
| Self protection of the first-aiders | : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8). |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : None under normal conditions. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Packaging materials | : Always store product in container of same material as original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-------------------------------------|
| Physical state | : Liquid |
| Colour | : Yellow. amber. |
| Odour | : Oriental. balsamic. woody. Spicy. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|------------------|
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 100 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 0.9647 |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|---|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

| 3-ethoxy-4-hydroxybenzaldehyde (121-32-4) | |
|--|--|
| LD50 oral rat | > 3160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|--|
| nerol (106-25-2) | |
| LD50 oral rat | 4500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3400 - 5600 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| benzyl benzoate (120-51-4) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| geraniol (106-24-1) | |
| LD50 oral rat | 3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570 |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit |
| cinnamaldehyde (104-55-2) | |
| LD50 oral rat | 2220 mg/kg bodyweight Animal: rat, Guideline: other:, 95% CL: 1910 - 2600 |
| LD50 oral | 3400 mg/kg bodyweight Animal: guinea pig, Guideline: other: |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LD50 dermal rabbit | 1260 mg/kg bodyweight Animal: rabbit, Guideline: other: |
| LC50 Inhalation - Rat [ppm] | 68.88871 ppm Animal: rat, Guideline: other: |
| vanillin (121-33-5) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| coumarin (91-64-5) | |
| LD50 oral rat | 293 mg/kg bodyweight Animal: rat, Guideline: other: |
| LD50 dermal rat | 293 mg/kg bodyweight Animal: rat, Guideline: other: |
| linalool (78-70-6) | |
| LD50 oral rat | 2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180 |
| LD50 oral | 3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620 |
| LD50 dermal rabbit | 5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374 |
| 2-phenylethanol (60-12-8) | |
| LD50 dermal rabbit | 2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634 |
| LC50 Inhalation - Rat | > 4.63 mg/l air Animal: rat |
| Eugenol (97-53-0) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| LD50 oral | 1500 – 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- (198404-98-7) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)) |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|--|
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- (198404-98-7) | |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |
| caryophyllene (87-44-5) | |
| LD50 oral | > 5000 mg/kg bodyweight Animal: mouse, Animal sex: male |
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met) |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| geraniol (106-24-1) | |
| NOAEL (chronic, oral, animal/male, 2 years) | 60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |
| 3-ethoxy-4-hydroxybenzaldehyde (121-32-4) | |
| NOAEL (animal/female, F0/P) | 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) |
| coumarin (91-64-5) | |
| NOAEL (animal/female, F0/P) | > 333 mg/kg bodyweight Animal: rat, Animal sex: female |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) |
| 2,6-dimethyloct-7-en-2-ol (18479-58-8) | |
| STOT-single exposure | May cause drowsiness or dizziness. |
| isoeugenol (97-54-1) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) |
| benzyl benzoate (120-51-4) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| geraniol (106-24-1) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 300 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: other: |
| cinnamaldehyde (104-55-2) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| coumarin (91-64-5) | |
| NOAEL (subchronic, oral, animal/female, 90 days) | > 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female |
| linalool (78-70-6) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |
| 2-phenylethanol (60-12-8) | |
| NOAEL (dermal, rat/rabbit, 90 days) | 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|---|
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| LOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (oral, rat, 90 days) | 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| Eugenol (97-53-0) | |
| NOAEL (subchronic, oral, animal/male, 90 days) | ≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other: |
| NOAEL (subchronic, oral, animal/female, 90 days) | 450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other: |
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- (198404-98-7) | |
| NOAEL (oral, rat, 90 days) | 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)) |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

| | |
|--|--|
| 3-ethoxy-4-hydroxybenzaldehyde (121-32-4) | |
| LC50 - Fish [1] | 87.6 mg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 26.2 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| LOEC (chronic) | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| nerol (106-25-2) | |
| LC50 - Fish [1] | 20.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 32.4 mg/l Test organisms (species): Daphnia magna |
| benzyl benzoate (120-51-4) | |
| LC50 - Fish [1] | 2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 3.09 mg/l Test organisms (species): Daphnia magna |
| geraniol (106-24-1) | |
| LC50 - Fish [1] | ≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 10.8 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 13.1 mg/l Test organisms (species): Desmodemus subspicatus (previous name: Scenedesmus subspicatus) |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| cinnamaldehyde (104-55-2) | |
|---|--|
| LC50 - Fish [1] | 2.35 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 119.5578 mg/l Test organisms (species): Daphnia magna |
| NOEC chronic fish | 15.159 mg/l Test organisms (species): other: Duration: '28 d' |
| vanillin (121-33-5) | |
| LC50 - Fish [1] | 57 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 123 mg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 36.79 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 120 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| LOEC (chronic) | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| coumarin (91-64-5) | |
| LC50 - Fish [1] | 2.94 mg/l Test organisms (species): |
| LC50 - Fish [2] | 1.324 mg/l Test organisms (species): |
| EC50 - Crustacea [1] | 8.012 mg/l Test organisms (species): Daphnia sp. |
| EC50 96h - Algae [1] | 1.452 mg/l Test organisms (species): |
| NOEC (chronic) | 0.5 mg/l Test organisms (species): Duration: '21 d' |
| NOEC chronic fish | 0.191 mg/l Test organisms (species): Duration: '30 d' |
| linalool (78-70-6) | |
| LC50 - Fish [1] | 27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 59 mg/l Test organisms (species): Daphnia magna |
| EC50 96h - Algae [1] | 88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 96h - Algae [2] | 156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| 2,6-dimethyloct-7-en-2-ol (18479-58-8) | |
| LC50 - Fish [1] | 27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 38 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 80 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 65 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 9.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| 2-phenylethanol (60-12-8) | |
| LC50 - Fish [1] | 215 – 464 mg/l Test organisms (species): Leuciscus idus |
| EC50 - Crustacea [1] | 287.17 mg/l Test organisms (species): Daphnia magna |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| LC50 - Fish [1] | 1.09 mg/l Test organisms (species): Oryzias latipes |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|--|
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| EC50 - Crustacea [1] | 2.37 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 5 mg/l Test organisms (species): other: |
| Eugenol (97-53-0) | |
| LC50 - Fish [1] | 13 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 - Crustacea [1] | 1.05 mg/l Test organisms (species): Daphnia magna |
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- (198404-98-7) | |
| LC50 - Fish [1] | 1.02 mg/l Test organisms (species): |
| EC50 - Crustacea [1] | 0.38 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 0.33 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 0.74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| NOEC chronic fish | 0.055 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '30 d' |
| caryophyllene (87-44-5) | |
| EC50 - Crustacea [1] | > 0.17 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 0.033 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

12.2. Persistence and degradability

| | |
|---|------------------------|
| Scent 104 | |
| Persistence and degradability | Not rapidly degradable |
| 3-ethoxy-4-hydroxybenzaldehyde (121-32-4) | |
| Persistence and degradability | Not rapidly degradable |
| citronellol (106-22-9) | |
| Persistence and degradability | Not rapidly degradable |
| nerol (106-25-2) | |
| Persistence and degradability | Not rapidly degradable |
| 2-(2,2,7,7-Tetramethyltricyclo[6.2.1.0((1,6)]Undec-5 and 4-en-5-yl)propan-1-ol (929625-08-1) | |
| Persistence and degradability | Not rapidly degradable |
| alpha-iso-methylionone (127-51-5) | |
| Persistence and degradability | Not rapidly degradable |
| benzyl benzoate (120-51-4) | |
| Persistence and degradability | Not rapidly degradable |
| geraniol (106-24-1) | |
| Persistence and degradability | Not rapidly degradable |
| cinnamaldehyde (104-55-2) | |
| Persistence and degradability | Not rapidly degradable |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|------------------------|
| vanillin (121-33-5) | |
| Persistence and degradability | Not rapidly degradable |
| 1,4-dioxacycloheptadecane-5,17-dione (105-95-3) | |
| Persistence and degradability | Not rapidly degradable |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2) | |
| Persistence and degradability | Not rapidly degradable |
| coumarin (91-64-5) | |
| Persistence and degradability | Not rapidly degradable |
| linalool (78-70-6) | |
| Persistence and degradability | Not rapidly degradable |
| 2,6-dimethyloct-7-en-2-ol (18479-58-8) | |
| Persistence and degradability | Not rapidly degradable |
| methyl cedryl ether (19870-74-7) | |
| Persistence and degradability | Not rapidly degradable |
| 2-phenylethanol (60-12-8) | |
| Persistence and degradability | Not rapidly degradable |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) | |
| Persistence and degradability | Not rapidly degradable |
| alpha-cedrene (469-61-4) | |
| Persistence and degradability | Not rapidly degradable |
| Eugenol (97-53-0) | |
| Persistence and degradability | Not rapidly degradable |
| Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- (198404-98-7) | |
| Persistence and degradability | Not rapidly degradable |
| (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one (23726-93-4) | |
| Persistence and degradability | Not rapidly degradable |
| caryophyllene (87-44-5) | |
| Persistence and degradability | Not rapidly degradable |
| isoeugenol (97-54-1) | |
| Persistence and degradability | Not rapidly degradable |

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |
| HP Code | : HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|--|---|
| 14.1. UN number or ID number | | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shipping name | | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | Environmentally hazardous substance, liquid, n.o.s. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Transport document description | | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III |
| 14.3. Transport hazard class(es) | | | | |
| 9 | 9 | 9 | 9 | 9 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| III | III | III | III | III |

Scent 104


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|---|------------------------------------|------------------------------------|------------------------------------|
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

| | |
|---|---|
| Classification code (ADR) | : M6 |
| Special provisions (ADR) | : 274, 335, 375, 601, 650 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : PP1 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBV |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13 |
| Hazard identification number (Kemler No.) | : 90 |
| Orange plates | :  |
| Tunnel restriction code (ADR) | : - |
| EAC code | : •3Z |

Transport by sea

| | |
|-----------------------------------|----------------------|
| Special provisions (IMDG) | : 274, 335, 375, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : LP01, P001 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| Stowage category (IMDG) | : A |

Air transport

| | |
|--|-------------------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y964 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provisions (IATA) | : A97, A158, A197, A215 |
| ERG code (IATA) | : 9L |

Inland waterway transport

| | |
|---------------------------|------|
| Classification code (ADN) | : M6 |
|---------------------------|------|

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|-----------------------------------|---------------------------|
| Special provisions (ADN) | : 274, 335, 375, 601, 650 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : M6 |
| Special provisions (RID) | : 274, 335, 375, 601, 650 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Special packing provisions (RID) | : PP1 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBV |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 90 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|---|---|
| Reference code | Applicable on | Entry title or description |
| 3(b) | Scent 104 ; nerol ; benzyl benzoate ; geraniol ; cinnamaldehyde ; linalool ; 2,6-dimethyloct-7-en-2-ol ; 2-phenylethanol ; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one ; Eugenol ; caryophyllene ; isoeugenol | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | benzyl benzoate ; cinnamaldehyde ; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one ; Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]- | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstracts Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|------------------------------------|--|
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

| Full text of H- and EUH-statements: | |
|--|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

Scent 104

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|--|--|
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|--|------|--------------------|
| Eye Irrit. 2 | H319 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Aquatic Chronic 2 | H411 | Calculation method |

Safety Data Sheet (SDS), EU TDB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.