

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Scent amour dans le pré  
UFI : FUN0-K0CK-K00C-W5E8  
Product code : 2104745

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use, Consumer use  
Use of the substance/mixture : Fragrance composition (fragrance).

#### 1.3. Details of the supplier of the safety data sheet

LAB SAS  
rue de la clef des champs  
68600 Volgelsheim  
France  
T 0389227765  
[office@labsys.fr](mailto:office@labsys.fr)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

Contains :

alpha-iso-methylionone; cinnamyl alcohol; methyl atrarate; (ethoxymethoxy)cyclododecane; methyl palmitate;  $\alpha$ -hexylcinnamaldehyde; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one; 6-sec-butylquinoline; caryophyllene; cinnamaldehyde

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H410 - Very toxic to aquatic life with long lasting effects.

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P273 - Avoid release to the environment.  
P280 - Wear protective gloves, eye protection, face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P501 - Dispose of contents and container to a sorting center, in accordance with local regulations.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

| Component   |   |
|---|---|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII  | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5), (ethoxymethoxy)cyclododecane (58567-11-6), 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5), (ethoxymethoxy)cyclododecane (58567-11-6), 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6) |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Name  | Product identifier  | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP]         |
|---|---|-------|---|
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | CAS-No.: 54464-57-2<br>EC-No.: 259-174-3                              | 26.09 | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Aquatic Chronic 1, H410   |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran          | CAS-No.: 1222-05-5<br>EC-No.: 214-946-9<br>EC Index-No.: 603-212-00-7 | 8.26  | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                        |
| 2-ethyl-3-hydroxy-4-pyrone  | CAS-No.: 4940-11-8<br>EC-No.: 225-582-5                               | 3.91  | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)                    |
| ethyl vanillin  | CAS-No.: 121-32-4<br>EC-No.: 204-464-7                                | 3.91  | Eye Irrit. 2, H319  |
| 2-phenylethanol   | CAS-No.: 60-12-8<br>EC-No.: 200-456-2                                 | 3.83  | Acute Tox. 4 (Oral), H302 (ATE=1610 mg/kg)<br>Eye Irrit. 2, H319        |
| $\alpha$ -hexylcinnamaldehyde   | CAS-No.: 101-86-0<br>EC-No.: 202-983-3                                | 3.48  | Skin Sens. 1B, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |
| alpha-iso-methylionone  | CAS-No.: 127-51-5<br>EC-No.: 204-846-3                                | 3.13  | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411   |
| Resin acids and Rosin acids, hydrogenated, Me esters                    | CAS-No.: 8050-15-5<br>EC-No.: 245-890-3                               | 2.64  | Aquatic Chronic 3, H412   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name   | Product identifier  | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|--|---|-------|--|
| (ethoxymethoxy)cyclododecane   | CAS-No.: 58567-11-6<br>EC-No.: 261-332-1                              | 2.61  | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411  |
| vanillin   | CAS-No.: 121-33-5<br>EC-No.: 204-642-4                                | 2.61  | Eye Irrit. 2, H319   |
| [1R-(1 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,6 $\beta$ ,8 $\alpha\alpha$ )]-octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol | CAS-No.: 5986-55-0<br>EC-No.: 227-807-2<br>EC Index-No.: 605-043-00-4 | 2.31  | Aquatic Chronic 2, H411  |
| 1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol  | CAS-No.: 139504-68-0<br>EC-No.: 412-300-2                             | 1.74  | Eye Irrit. 2, H319<br>Aquatic Chronic 2, H411  |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol  | CAS-No.: 28219-61-6<br>EC-No.: 279-348-2                              | 1.74  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Aquatic Chronic 2, H411   |
| 4-tert-butylcyclohexanol   | CAS-No.: 98-52-2<br>EC-No.: 202-676-4                                 | 1.74  | Eye Irrit. 2, H319   |
| cinnamyl alcohol   | CAS-No.: 104-54-1<br>EC-No.: 203-212-3                                | 1.31  | Acute Tox. 4 (Oral), H302 (ATE=2000 mg/kg bodyweight)<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411  |
| undecan-4-olide  | CAS-No.: 104-67-6<br>EC-No.: 203-225-4                                | 1.3   | Aquatic Chronic 3, H412  |
| beta-ionone  | CAS-No.: 79-77-6<br>EC-No.: 201-224-3                                 | 1.3   | Aquatic Chronic 2, H411  |
| methyl palmitate   | CAS-No.: 112-39-0<br>EC-No.: 203-966-3                                | 1.28  | Skin Irrit. 2, H315<br>Skin Sens. 1, H317  |
| Azulene, 1,2,3,4,5,6,7,8-octahydro-1,4-dimethyl-7-(1-methylethenyl)-, (1S,4S,7R)-  | CAS-No.: 3691-12-1  | 1.02  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Asp. Tox. 1, H304   |
| methyl atrarate  | CAS-No.: 4707-47-5<br>EC-No.: 225-193-0                               | 0.78  | Skin Sens. 1B, H317  |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one  | CAS-No.: 24720-09-0<br>EC-No.: 246-430-4                              | 0.43  | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)<br>Skin Sens. 1B, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                        |
| 6-sec-butylquinoline   | CAS-No.: 65442-31-1<br>EC-No.: 265-777-2                              | 0.35  | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411   |
| caryophyllene  | CAS-No.: 87-44-5<br>EC-No.: 201-746-1                                 | 0.34  | Skin Sens. 1B, H317<br>Asp. Tox. 1, H304   |
| cinnamaldehyde   | CAS-No.: 104-55-2<br>EC-No.: 203-213-9<br>EC Index-No.: 606-155-00-6  | 0.274 | Acute Tox. 4 (Dermal), H312 (ATE=1260 mg/kg bodyweight)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1A, H317<br>Aquatic Chronic 3, H412 |
| 4-methyl-3-decen-5-ol  | CAS-No.: 81782-77-6<br>EC-No.: 279-815-0                              | 0.17  | Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: |  |                                      |
|--------------------------------|--|--------------------------------------|
| Name                           | Product identifier   | Specific concentration limits (%)    |
| cinnamaldehyde                 | CAS-No.: 104-55-2<br>EC-No.: 203-213-9<br>EC Index-No.: 606-155-00-6 | (0.01 ≤ C ≤ 100) Skin Sens. 1A; H317 |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : If you feel unwell, seek medical advice.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |
| Self protection of the first-aiders   | : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).   |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : None under normal conditions.                    |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Eye irritation.                                  |
| Symptoms/effects after ingestion    | : None under normal conditions.                    |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Fire hazard                                      | : No fire hazard.              |
| Explosion hazard                                 | : No direct explosion hazard.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

#### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.              |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.  
Absorb spillage to prevent material damage.

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Keep cool. Protect from sunlight.  
Packaging materials : Always store product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Safety glasses

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                         |
|---|-------------------------|
| Physical state                                  | : Liquid                |
| Colour  | : Yellow. amber.        |
| Odour   | : Amber. Fruity. Woody. |
| Odour threshold                                 | : Not available         |
| Melting point                                   | : Not applicable        |
| Freezing point                                  | : Not available         |
| Boiling point                                   | : Not available         |
| Flammability                                    | : Non flammable         |
| Lower explosion limit                           | : Not available         |
| Upper explosion limit                           | : Not available         |
| Flash point                                     | : > 100 °C              |
| Auto-ignition temperature                       | : Not available         |
| Decomposition temperature                       | : Not available         |
| pH  | : Not available         |
| Viscosity, kinematic                            | : Not available         |
| Solubility                                      | : Not available         |
| Partition coefficient n-octanol/water (Log Kow) | : Not available         |
| Vapour pressure                                 | : Not available         |
| Vapour pressure at 50°C                         | : Not available         |
| Density   | : Not available         |
| Relative density                                | : Not available         |
| Relative vapour density at 20°C                 | : Not available         |
| Particle characteristics                        | : Not applicable        |

### 9.2. Other information

No additional information available

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |   |
|-----------------------------|---|
| Acute toxicity (oral)       | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal)     | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

| <b>1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol (139504-68-0)</b>   |   |
|--|---|
| LD50 oral rat  | > 2000 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: OECD Guideline 401 (Acute Oral Toxicity)                             |
| LD50 dermal rat  | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))   |
| <b>[1R-(1<math>\alpha</math>,4<math>\beta</math>,4<math>\alpha</math>,6<math>\beta</math>,8<math>\alpha</math>)]-octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol (5986-55-0)</b> |   |
| LD50 oral rat  | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)  |
| LD50 oral  | > 5000 mg/kg bodyweight Animal:   |
| <b>2-ethyl-3-hydroxy-4-pyrone (4940-11-8)</b>  |   |
| LD50 oral rat  | $\approx$ 1220 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1000 - 1440                   |
| LD50 dermal rabbit   | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>  |   |
| LD50 oral rat  | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) |
| LD50 dermal rat  | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  |
| LC50 Inhalation - Rat  | > 5.04 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)  |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |  |
|---|--|
| <b>ethyl vanillin (121-32-4)</b>  |  |
| LD50 oral rat   | > 3160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| <b>cinnamyl alcohol (104-54-1)</b>                                      |  |
| LD50 oral rat   | 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)          |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)                                 |
| <b>methyl atrarate (4707-47-5)</b>                                      |  |
| LD50 oral rat   | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   |
| LD50 dermal rat   | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| <b>(ethoxymethoxy)cyclododecane (58567-11-6)</b>                        |  |
| LD50 oral rat   | > 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)                                     |
| LD50 dermal rabbit  | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  |
| <b>methyl palmitate (112-39-0)</b>                                      |  |
| LD50 oral rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   |
| <b>Resin acids and Rosin acids, hydrogenated, Me esters (8050-15-5)</b> |  |
| LD50 oral rat   | > 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)                                     |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |
| <b>undecan-4-olide (104-67-6)</b>                                       |  |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| <b>vanillin (121-33-5)</b>  |  |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| <b>2-phenylethanol (60-12-8)</b>  |  |
| LD50 dermal rabbit  | 2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634                               |
| LC50 Inhalation - Rat   | > 4.63 mg/l air Animal: rat  |
| <b>4-tert-butylcyclohexanol (98-52-2)</b>                               |  |
| LD50 oral rat   | 4200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3,62 - 4,87                                    |
| <b>beta-ionone (79-77-6)</b>  |  |
| LD50 dermal rat   | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)) |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|  |  |
|--|--|
| <b>6-sec-butylquinoline (65442-31-1)</b>         |  |
| LD50 oral rat                                    | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)   |
| <b>caryophyllene (87-44-5)</b>                   |  |
| LD50 oral  | > 5000 mg/kg bodyweight Animal: mouse, Animal sex: male  |
| <b>cinnamaldehyde (104-55-2)</b>                 |  |
| LD50 oral rat                                    | 2220 mg/kg bodyweight Animal: rat, Guideline: other., 95% CL: 1910 - 2600  |
| LD50 oral  | 3400 mg/kg bodyweight Animal: guinea pig, Guideline: other:  |
| LD50 dermal rat                                  | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   |
| LD50 dermal rabbit                               | 1260 mg/kg bodyweight Animal: rabbit, Guideline: other:  |
| LC50 Inhalation - Rat [ppm]                      | 68.88871 ppm Animal: rat, Guideline: other:  |
| Skin corrosion/irritation                        | : Causes skin irritation.  |
| <b>cinnamyl alcohol (104-54-1)</b>               |  |
| pH   | 4.71 Temp.: 26,5 °C Concentration: 1 vol%  |
| Serious eye damage/irritation                    | : Causes serious eye irritation.   |
| <b>cinnamyl alcohol (104-54-1)</b>               |  |
| pH   | 4.71 Temp.: 26,5 °C Concentration: 1 vol%  |
| Respiratory or skin sensitisation                | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity                           | : Not classified (Based on available data, the classification criteria are not met)  |
| Carcinogenicity                                  | : Not classified (Based on available data, the classification criteria are not met)  |
| <b>undecan-4-olide (104-67-6)</b>                |  |
| NOAEL (chronic, oral, animal/male, 2 years)      | 225 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)  |
| NOAEL (chronic, oral, animal/female, 2 years)    | 450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 451 (Carcinogenicity Studies)  |
| Reproductive toxicity                            | : Not classified (Based on available data, the classification criteria are not met)  |
| <b>ethyl vanillin (121-32-4)</b>                 |  |
| NOAEL (animal/female, F0/P)                      | 500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)   |
| <b>methyl atrarate (4707-47-5)</b>               |  |
| NOAEL (animal/male, F0/P)                        | ≥ 717 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other., Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other., Guideline: other., Guideline: other.:, Guideline: other:    |
| NOAEL (animal/female, F0/P)                      | ≥ 1175 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other., Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other., Guideline: other., Guideline: other.:, Guideline: other: |
| <b>(ethoxymethoxy)cyclododecane (58567-11-6)</b> |  |
| NOAEL (animal/male, F0/P)                        | 50 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:  |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |   |
|---|---|
| <b>(ethoxymethoxy)cyclododecane (58567-11-6)</b>                                  |   |
| NOAEL (animal/female, F0/P)   | 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other: |
| <b>4-tert-butylcyclohexanol (98-52-2)</b>   |   |
| NOAEL (animal/male, F0/P)   | 6000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:  |
| NOAEL (animal/female, F1)   | 800 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:   |
| STOT-single exposure  | : Not classified (Based on available data, the classification criteria are not met)   |
| STOT-repeated exposure  | : Not classified (Based on available data, the classification criteria are not met)   |
| <b>1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol (139504-68-0)</b>                    |   |
| LOAEL (oral, rat, 90 days)  | ≈ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  |
| NOAEL (oral, rat, 90 days)  | ≈ 140 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)   |
| <b>2-ethyl-3-hydroxy-4-pyrone (4940-11-8)</b>                                     |   |
| NOAEL (oral, rat, 90 days)  | ≥ 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)   |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |   |
| NOAEL (oral, rat, 90 days)  | 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)   |
| <b>cinnamyl alcohol (104-54-1)</b>  |   |
| NOAEL (oral, rat, 90 days)  | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  |
| <b>2-phenylethanol (60-12-8)</b>  |   |
| NOAEL (dermal, rat/rabbit, 90 days)   | 510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  |
| <b>4-tert-butylcyclohexanol (98-52-2)</b>   |   |
| LOAEL (oral, rat, 90 days)  | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)   |
| NOAEL (oral, rat, 90 days)  | 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)   |
| <b>(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)</b>       |   |
| LOAEL (oral, rat, 90 days)  | 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)   |
| NOAEL (oral, rat, 90 days)  | 30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)  |
| <b>cinnamaldehyde (104-55-2)</b>  |   |
| NOAEL (oral, rat, 90 days)  | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  |
| Aspiration hazard   | : Not classified (Based on available data, the classification criteria are not met)   |
| <b>methyl palmitate (112-39-0)</b>  |   |
| Viscosity, kinematic  | 4.4 mm <sup>2</sup> /s Temp.: '40°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                   |                             |
|-----------------------------------|-----------------------------|
| <b>undecan-4-olide (104-67-6)</b> |                             |
| Viscosity, kinematic              | < 10.621 mm <sup>2</sup> /s |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

|  |  |
|--|--|
| <b>1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol (139504-68-0)</b> |  |
| LC50 - Fish [1]  | 4.1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)  |
| EC50 - Crustacea [1]   | 5.9 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]   | 5.6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2]   | 12 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)  |
| NOEC (chronic)   | 1.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| NOEC chronic fish  | 0.22 mg/l Test organisms (species): Pimephales promelas Duration: '33 d'   |

|  |   |
|--|---|
| <b>[1R-(1<math>\alpha</math>,4<math>\beta</math>,4<math>\alpha</math>,6<math>\beta</math>,8<math>\alpha</math>)]-octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol (5986-55-0)</b> |   |
| EC50 - Crustacea [1]   | 5.5 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]   | 21 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

|   |  |
|---|--|
| <b>2-ethyl-3-hydroxy-4-pyrone (4940-11-8)</b> |  |
| LC50 - Fish [1]                               | > 85 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)   |
| EC50 - Crustacea [1]                          | 27 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]                          | 7.2 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

|   |  |
|---|--|
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b> |  |
| LC50 - Fish [1]   | 0.95 mg/l Test organisms (species): Oryzias latipes  |
| EC50 - Crustacea [1]  | 0.194 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]  | > 0.854 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2]  | 0.723 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)   |
| LOEC (chronic)  | 0.075 mg/l Test organisms (species): other aquatic crustacea: Duration: '5,5 d'  |
| NOEC (chronic)  | 0.111 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| NOEC chronic fish   | 0.068 mg/l Test organisms (species): Pimephales promelas Duration: '36 d'  |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>ethyl vanillin (121-32-4)</b>                 |  |
|--|--|
| LC50 - Fish [1]                                  | 87.6 mg/l Test organisms (species): Pimephales promelas  |
| EC50 - Crustacea [1]                             | 26.2 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]                             | > 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)   |
| LOEC (chronic)                                   | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| NOEC (chronic)                                   | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| <b>cinnamyl alcohol (104-54-1)</b>               |  |
| LC50 - Fish [1]                                  | 9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  |
| EC50 - Crustacea [1]                             | 7.7 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]                             | 19.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| <b>methyl atrarate (4707-47-5)</b>               |  |
| LC50 - Fish [1]                                  | 5.2 mg/l Test organisms (species): not specified   |
| EC50 - Crustacea [1]                             | 9.3 mg/l Test organisms (species): Daphnia sp.   |
| EC50 96h - Algae [1]                             | 3.3 mg/l Test organisms (species): other:  |
| <b>(ethoxymethoxy)cyclododecane (58567-11-6)</b> |  |
| LC50 - Fish [1]                                  | 1.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  |
| EC50 - Crustacea [1]                             | 1.6 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]                             | > 2 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |
| <b>methyl palmitate (112-39-0)</b>               |  |
| LC50 - Fish [1]                                  | 550 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  |
| EC50 - Crustacea [1]                             | > 0.02 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]                             | > 0.023 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| LOEC (chronic)                                   | > 0.22 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| NOEC (chronic)                                   | > 0.22 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| <b>undecan-4-olide (104-67-6)</b>                |  |
| EC50 - Crustacea [1]                             | 5.853 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]                             | 7.218 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)   |
| LOEC (chronic)                                   | 1.83 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |
| NOEC (chronic)                                   | 0.138 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| <b>vanillin (121-33-5)</b>                       |  |
| LC50 - Fish [1]                                  | 57 mg/l Test organisms (species): Pimephales promelas  |
| LC50 - Fish [2]                                  | 123 mg/l Test organisms (species): Pimephales promelas   |
| EC50 - Crustacea [1]                             | 36.79 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]                             | 120 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |
| LOEC (chronic)                                   | 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |  |
|---|--|
| <b>vanillin (121-33-5)</b>  |  |
| NOEC (chronic)  | 5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'  |
| <b>2-phenylethanol (60-12-8)</b>  |  |
| LC50 - Fish [1]   | 215 – 464 mg/l Test organisms (species): Leuciscus idus  |
| EC50 - Crustacea [1]  | 287.17 mg/l Test organisms (species): Daphnia magna  |
| <b>4-tert-butylcyclohexanol (98-52-2)</b>                                   |  |
| LC50 - Fish [1]   | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)  |
| EC50 - Crustacea [1]  | 46 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]  | 45 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| <b>beta-ionone (79-77-6)</b>  |  |
| LC50 - Fish [1]   | 5.09 mg/l Test organisms (species): Pimephales promelas  |
| LC50 - Fish [2]   | 6.81 mg/l Test organisms (species): Leuciscus idus   |
| EC50 - Crustacea [1]  | 4.03 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]  | 22.15 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  |
| EC50 72h - Algae [2]  | 21.15 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)  |
| <b>(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)</b> |  |
| LC50 - Fish [1]   | 1.09 mg/l Test organisms (species): Oryzias latipes  |
| EC50 - Crustacea [1]  | 2.37 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]  | 5 mg/l Test organisms (species): other:  |
| <b>6-sec-butylquinoline (65442-31-1)</b>                                    |  |
| EC50 - Crustacea [1]  | 1.8 mg/l Test organisms (species): Daphnia magna   |
| EC50 72h - Algae [1]  | 1.82 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| EC50 72h - Algae [2]  | 0.57 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| <b>caryophyllene (87-44-5)</b>  |  |
| EC50 - Crustacea [1]  | > 0.17 mg/l Test organisms (species): Daphnia magna  |
| EC50 72h - Algae [1]  | > 0.033 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| <b>cinnamaldehyde (104-55-2)</b>  |  |
| LC50 - Fish [1]   | 2.35 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)   |
| EC50 - Crustacea [1]  | 119.5578 mg/l Test organisms (species): Daphnia magna  |
| NOEC chronic fish   | 15.159 mg/l Test organisms (species): other: Duration: '28 d'  |
| <b>4-methyl-3-decen-5-ol (81782-77-6)</b>                                   |  |
| EC50 72h - Algae [1]  | 3.6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |
| EC50 96h - Algae [1]  | 3.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)     |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

|  |                        |
|--|------------------------|
| <b>Scent amour dans le pré</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol (139504-68-0)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>[1R-(1<math>\alpha</math>,4<math>\beta</math>,4<math>\alpha\alpha</math>,6<math>\beta</math>,8<math>\alpha\alpha</math>)]-octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol (5986-55-0)</b> |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>2-ethyl-3-hydroxy-4-pyrone (4940-11-8)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>ethyl vanillin (121-32-4)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>alpha-iso-methylionone (127-51-5)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>cinnamyl alcohol (104-54-1)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>methyl atrarate (4707-47-5)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>(ethoxymethoxy)cyclododecane (58567-11-6)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>methyl palmitate (112-39-0)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>Resin acids and Rosin acids, hydrogenated, Me esters (8050-15-5)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>undecan-4-olide (104-67-6)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>vanillin (121-33-5)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b><math>\alpha</math>-hexylcinnamaldehyde (101-86-0)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (54464-57-2)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>2-phenylethanol (60-12-8)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|  |                        |
|--|------------------------|
| <b>4-tert-butylcyclohexanol (98-52-2)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>beta-ionone (79-77-6)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>Azulene, 1,2,3,4,5,6,7,8-octahydro-1,4-dimethyl-7-(1-methylethenyl)-, (1S,4S,7R)- (3691-12-1)</b> |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)</b>                          |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>6-sec-butylquinoline (65442-31-1)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>caryophyllene (87-44-5)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>cinnamaldehyde (104-55-2)</b>   |                        |
| Persistence and degradability  | Not rapidly degradable |
| <b>4-methyl-3-decen-5-ol (81782-77-6)</b>  |                        |
| Persistence and degradability  | Not rapidly degradable |

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| Component   |   |
|---|---|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII  | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5), (ethoxymethoxy)cyclododecane (58567-11-6), 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5), (ethoxymethoxy)cyclododecane (58567-11-6), 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-61-6) |

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.                                    |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                    |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                    |
| Additional information                     | : Do not re-use empty containers.   |

# Scent amour dans le pré






## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                              |  |
|------------------------------|--|
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.  |
| HP Code                      | : HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.<br>HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.<br>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment |

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA  | ADN  | RID   |
|---|---|---|--|---|
| <b>14.1. UN number or ID number</b>   |   |   |  |   |
| UN 3082   | UN 3082   | UN 3082   | UN 3082  | UN 3082   |
| <b>14.2. UN proper shipping name</b>  |   |   |  |   |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.   | Environmentally hazardous substance, liquid, n.o.s.                                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                   |
| <b>Transport document description</b>   |   |   |  |   |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)            | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT                         | UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III                 | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III                  | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III                   |
| <b>14.3. Transport hazard class(es)</b>   |   |   |  |   |
| 9   | 9   | 9   | 9  | 9   |
|  |                            |  |  |  |
| <b>14.4. Packing group</b>  |   |   |  |   |
| III   | III   | III   | III  | III   |
| <b>14.5. Environmental hazards</b>  |   |   |  |   |
| Dangerous for the environment: Yes  | Dangerous for the environment: Yes<br>Marine pollutant: Yes<br>EmS-No. (Fire): F-A<br>EmS-No. (Spillage): S-F | Dangerous for the environment: Yes  | Dangerous for the environment: Yes   | Dangerous for the environment: Yes  |
| No supplementary information available  |   |   |  |   |

### 14.6. Special precautions for user

#### Overland transport


|                                  |                           |
|----------------------------------|---------------------------|
| Classification code (ADR)        | : M6                      |
| Special provisions (ADR)         | : 274, 335, 375, 601, 650 |
| Limited quantities (ADR)         | : 5I                      |
| Excepted quantities (ADR)        | : E1                      |
| Packing instructions (ADR)       | : P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : PP1                     |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC code : •3Z

### Transport by sea

Special provisions (IMDG) : 274, 335, 375, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### Inland waterway transport

Classification code (ADN) : M6  
Special provisions (ADN) : 274, 335, 375, 601, 650  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : M6  
Special provisions (RID) : 274, 335, 375, 601, 650  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Special packing provisions (RID) : PP1  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP29  
Tank codes for RID tanks (RID) : LGBV  
Transport category (RID) : 3

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage – Packages (RID) : W12  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

#### REACH Annex XVII (Restriction List)

##### EU restriction list (REACH Annex XVII)

| Reference code | Applicable on   | Entry title or description  |
|----------------|---|---|
| 3(b)           | Scent amour dans le pré ;<br>1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol ; cinnamyl alcohol ; (ethoxymethoxy)cyclododecane ; 2-phenylethanol ; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one ; 6-sec-butylquinoline ; caryophyllene ; cinnamaldehyde  | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c)           | 1-[(2-tert-butylcyclohexyl)oxy]butan-2-ol ; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ; cinnamyl alcohol ; (ethoxymethoxy)cyclododecane ; Resin acids and Rosin acids, hydrogenated, Me esters ; undecan-4-olide ; beta-ionone ; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one ; 6-sec-butylquinoline ; cinnamaldehyde ; 4-methyl-3-decen-5-ol | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1   |

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ACGIH                       | American Conference of Governmental Industrial Hygienists                                       |
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| CAS-No.                     | Chemical Abstracts Service number   |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| COD                         | Chemical oxygen demand (COD)  |
| CSA                         | Chemical safety assessment  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| ED                          | Endocrine disruptor   |
| EN                          | European Standard   |
| EWC                         | European waste catalogue  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| Log Kow                     | Partition coefficient n-octanol/water (Log Kow)   |
| Log Pow                     | Partition coefficient n-octanol/water (Log Pow)   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>Abbreviations and acronyms:</b> |  |
|------------------------------------|--|
| MAK                                | maximum workplace concentration  |
| NOAEC                              | No-Observed Adverse Effect Concentration                                     |
| NOAEL                              | No-Observed Adverse Effect Level   |
| NOEC                               | No-Observed Effect Concentration   |
| N.O.S.                             | Not Otherwise Specified  |
| OECD                               | Organisation for Economic Co-operation and Development                       |
| OEL                                | Occupational Exposure Limit  |
| OSHA                               | Occupational Safety & Health Administration                                  |
| PBT                                | Persistent Bioaccumulative Toxic   |
| PNEC                               | Predicted No-Effect Concentration  |
| PPE                                | Personal protection equipment  |
| RID                                | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                                | Safety Data Sheet  |
| STP                                | Sewage treatment plant   |
| TF                                 | Technical function   |
| ThOD                               | Theoretical oxygen demand (ThOD)   |
| TLM                                | Median Tolerance Limit   |
| TWA                                | Time Weighted Average  |
| VOC                                | Volatile Organic Compounds   |
| vPvB                               | Very Persistent and Very Bioaccumulative                                     |
| UFI                                | Unique Formula Identifier  |

| <b>Full text of H- and EUH-statements:</b> |   |
|--|---|
| Acute Tox. 4 (Dermal)                      | Acute toxicity (dermal), Category 4                               |
| Acute Tox. 4 (Oral)                        | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                            | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1                          | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2                          | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3                          | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1                                | Aspiration hazard, Category 1                                     |
| Eye Irrit. 2                               | Serious eye damage/eye irritation, Category 2                     |
| Skin Irrit. 2                              | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1                               | Skin sensitisation, Category 1                                    |
| Skin Sens. 1A                              | Skin sensitisation, category 1A                                   |
| Skin Sens. 1B                              | Skin sensitisation, category 1B                                   |
| H302                                       | Harmful if swallowed.   |
| H304                                       | May be fatal if swallowed and enters airways.                     |
| H312                                       | Harmful in contact with skin.                                     |
| H315                                       | Causes skin irritation.   |

# Scent amour dans le pré

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>Full text of H- and EUH-statements:</b> |   |
|--|---|
| H317                                       | May cause an allergic skin reaction.                  |
| H319                                       | Causes serious eye irritation.                        |
| H400                                       | Very toxic to aquatic life.                           |
| H410                                       | Very toxic to aquatic life with long lasting effects. |
| H411                                       | Toxic to aquatic life with long lasting effects.      |
| H412                                       | Harmful to aquatic life with long lasting effects.    |

| <b>Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:</b> |      |                    |
|--|------|--------------------|
| Skin Irrit. 2  | H315 | Calculation method |
| Eye Irrit. 2   | H319 | Calculation method |
| Skin Sens. 1   | H317 | Calculation method |
| Aquatic Chronic 1  | H410 | Calculation method |

Safety Data Sheet (SDS), EU TDB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.