

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Scent maquis corse  
UFI : X7F0-M071-0007-YVJ9  
Product code : 2453193

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use, Consumer use  
Use of the substance/mixture : Fragrance composition (fragrance).

#### 1.3. Details of the supplier of the safety data sheet

LAB SAS  
rue de la clef des champs  
68600 Volgelsheim  
France  
T 0389227765  
[office@labsys.fr](mailto:office@labsys.fr)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS09

Signal word (CLP) :

Danger

Contains :

3-methylcyclopentane-1,2-dione; delta-3-carene; citronellol; geraniol; linalyl acetate; nerol; coumarin; methyl cedryl ether; linalool; thymol; 3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde; cineole; bornan-2-one; alpha-pinene; caryophyllene; (E)-anethole; d-limonene; p-menth-1-en-4-ol; trans-menthone; pin-2(10)-ene; cinnamaldehyde; benzyl benzoate

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing fume, dust, vapours. P273 - Avoid release to the environment. P280 - Wear protective gloves, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 - Collect spillage. P501 - Dispose of contents and container to a sorting center, in accordance with local regulations.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	geraniol (106-24-1)

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9	57.25	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Terpineol	CAS-No.: 8000-41-7 EC-No.: 701-188-3	6.27	Skin Irrit. 2, H315 Eye Irrit. 2, H319
coumarin	CAS-No.: 91-64-5 EC-No.: 202-086-7	6.26	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1B, H317
methyl cedryl ether	CAS-No.: 19870-74-7 EC-No.: 243-384-7	3.75	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5	3.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	2.95	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
thymol	CAS-No.: 89-83-8 EC-No.: 201-944-8 EC Index-No.: 604-032-00-1	2.61	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411
nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	2.13	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4	1.29	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde	CAS-No.: 67634-15-5 EC-No.: 266-819-2	1.25	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
cineole	CAS-No.: 470-82-6 EC-No.: 207-431-5	1.17	Flam. Liq. 3, H226 Skin Sens. 1B, H317
citronellol	CAS-No.: 106-22-9 EC-No.: 203-375-0	1.13	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
bornan-2-one	CAS-No.: 76-22-2 EC-No.: 200-945-0	1.13	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371
alpha-cedrene	CAS-No.: 469-61-4 EC-No.: 207-418-4	1.1	Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
indole	CAS-No.: 120-72-9 EC-No.: 204-420-7	1	Asp. Tox. 1, H304
alpha-pinene	CAS-No.: 80-56-8 EC-No.: 201-291-9	0.88	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1	0.71	Skin Sens. 1B, H317 Asp. Tox. 1, H304
(E)-anethole	CAS-No.: 4180-23-8 EC-No.: 224-052-0	0.63	Skin Sens. 1B, H317

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
7-methyl-3-methyleneocta-1,6-diene	CAS-No.: 123-35-3 EC-No.: 204-622-5	0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
d-limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	0.35	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.3	Flam. Sol. 1, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-methylcyclopentane-1,2-dione	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.25	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318 Skin Sens. 1, H317
3,7-dimethylocta-1,3,6-triene	CAS-No.: 13877-91-3 EC-No.: 237-641-2	0.23	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
p-menth-1-en-4-ol	CAS-No.: 562-74-3 EC-No.: 209-235-5	0.2	Acute Tox. 4 (Oral), H302 (ATE=1300 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT SE 3, H336
pin-2(10)-ene	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
trans-menthone	CAS-No.: 89-80-5 EC-No.: 201-941-1	0.18	Acute Tox. 4 (Oral), H302 (ATE=1500 mg/kg bodyweight) Skin Irrit. 2, H315 Skin Sens. 1B, H317
delta-3-carene	CAS-No.: 13466-78-9 EC-No.: 236-719-3	0.16	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
p-cymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	0.12	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 (ATE=3 mg/l/4h) Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
cinnamaldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6	0.01	Acute Tox. 4 (Dermal), H312 (ATE=1260 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
cinnamaldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6	(0.01 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.  
Absorb spillage to prevent material damage.

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Always store product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Safety glasses

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: herbaceous. aromatic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 92 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.0389
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

<b>Scent maquis corse</b>	
ATE CLP (oral)	743.494 mg/kg bodyweight
<b>geraniol (106-24-1)</b>	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>geraniol (106-24-1)</b>	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>linalyl acetate (115-95-7)</b>	
LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>nerol (106-25-2)</b>	
LD50 oral rat	4500 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3400 - 5600
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Terpineol (8000-41-7)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4.76 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>coumarin (91-64-5)</b>	
LD50 oral rat	293 mg/kg bodyweight Animal: rat, Guideline: other:
LD50 dermal rat	293 mg/kg bodyweight Animal: rat, Guideline: other:
<b>linalool (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
<b>thymol (89-83-8)</b>	
LD50 oral rat	980 mg/kg bodyweight Animal: rat, Guideline: other:, 95% CL: 817 - 1180
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: other:
<b>bornan-2-one (76-22-2)</b>	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 10 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>alpha-pinene (80-56-8)</b>	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
<b>caryophyllene (87-44-5)</b>	
LD50 oral	> 5000 mg/kg bodyweight Animal: mouse, Animal sex: male
<b>(E)-anethole (4180-23-8)</b>	
LD50 oral rat	1420 – 3070 mg/kg bodyweight Animal: rat, 95% CL: 2090 -
LD50 dermal rabbit	> 4900 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>(E)-anethole (4180-23-8)</b>	
LC50 Inhalation - Rat	≥ 5.1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
<b>d-limonene (5989-27-5)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
<b>camphene (79-92-5)</b>	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
<b>p-menth-1-en-4-ol (562-74-3)</b>	
LD50 oral rat	1300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	2500 – 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.11 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
<b>trans-menthone (89-80-5)</b>	
LD50 oral	1500 mg/kg bodyweight Animal: mouse, Guideline: other:
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:
<b>p-cymene (99-87-6)</b>	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: other:
<b>7-methyl-3-methyleneocta-1,6-diene (123-35-3)</b>	
LD50 oral rat	> 11390 mg/kg bodyweight Animal: rat
LD50 oral	> 3380 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>3,7-dimethylocta-1,3,6-triene (13877-91-3)</b>	
LD50 oral rat	≈ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>cinnamaldehyde (104-55-2)</b>	
LD50 oral rat	2220 mg/kg bodyweight Animal: rat, Guideline: other:, 95% CL: 1910 - 2600
LD50 oral	3400 mg/kg bodyweight Animal: guinea pig, Guideline: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	1260 mg/kg bodyweight Animal: rabbit, Guideline: other:
LC50 Inhalation - Rat [ppm]	68.88871 ppm Animal: rat, Guideline: other:
<b>benzyl benzoate (120-51-4)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Skin corrosion/irritation : Causes skin irritation.	
<b>indole (120-72-9)</b>	
pH	5.9 Temp.: 20 °C Concentration: 1000 g/L

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>p-menth-1-en-4-ol (562-74-3)</b>	
pH	6.8 – 7.1 Temp.: 20 °C
<b>trans-menthone (89-80-5)</b>	
pH	3.78 Temp.: 26,5 °C
Serious eye damage/irritation	: Causes serious eye damage.
<b>indole (120-72-9)</b>	
pH	5.9 Temp.: 20 °C Concentration: 1000 g/L
<b>p-menth-1-en-4-ol (562-74-3)</b>	
pH	6.8 – 7.1 Temp.: 20 °C
<b>trans-menthone (89-80-5)</b>	
pH	3.78 Temp.: 26,5 °C
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
<b>geraniol (106-24-1)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
<b>Terpineol (8000-41-7)</b>	
NOAEL (animal/male, F0/P)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	> 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
<b>coumarin (91-64-5)</b>	
NOAEL (animal/female, F0/P)	> 333 mg/kg bodyweight Animal: rat, Animal sex: female
<b>d-limonene (5989-27-5)</b>	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
<b>trans-menthone (89-80-5)</b>	
NOAEL (animal/male, F0/P)	800 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (animal/female, F0/P)	671 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
<b>p-cymene (99-87-6)</b>	
NOAEL (animal/male, F0/P)	50 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	100 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>bornan-2-one (76-22-2)</b>	
STOT-single exposure	May cause damage to organs.

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>p-menth-1-en-4-ol (562-74-3)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>indole (120-72-9)</b>	
LOAEL (dermal, rat/rabbit, 90 days)	2220 mg/kg bodyweight Animal: rabbit, Guideline: other:
<b>geraniol (106-24-1)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: other:
<b>linalyl acetate (115-95-7)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>Terpineol (8000-41-7)</b>	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
<b>coumarin (91-64-5)</b>	
NOAEL (subchronic, oral, animal/female, 90 days)	> 138.3 mg/kg bodyweight Animal: mouse, Animal sex: female
<b>linalool (78-70-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>thymol (89-83-8)</b>	
NOAEL (oral, rat, 90 days)	> 667 mg/kg bodyweight Animal: rat
<b>cineole (470-82-6)</b>	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other., Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Non-rodents)
<b>bornan-2-one (76-22-2)</b>	
NOAEL (oral, rat, 90 days)	3.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:
<b>(E)-anethole (4180-23-8)</b>	
NOAEL (oral, rat, 90 days)	≈ 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>7-methyl-3-methylenoocta-1,6-diene (123-35-3)</b>	
LOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/male, 90 days)	500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>cinnamaldehyde (104-55-2)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>benzyl benzoate (120-51-4)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

<b>indole (120-72-9)</b>	
LC50 - Fish [1]	≈ 19.76 mg/l Test organisms (species):
EC50 96h - Algae [1]	9.42 mg/l Test organisms (species): Scenedesmus sp.
EC50 96h - Algae [2]	≈ 37.3 mg/l Test organisms (species):

<b>geraniol (106-24-1)</b>	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

<b>linalyl acetate (115-95-7)</b>	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

<b>nerol (106-25-2)</b>	
LC50 - Fish [1]	20.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	32.4 mg/l Test organisms (species): Daphnia magna

<b>Terpineol (8000-41-7)</b>	
LC50 - Fish [1]	62 – 80 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

<b>coumarin (91-64-5)</b>	
LC50 - Fish [1]	2.94 mg/l Test organisms (species):
LC50 - Fish [2]	1.324 mg/l Test organisms (species):
EC50 - Crustacea [1]	8.012 mg/l Test organisms (species): Daphnia sp.
EC50 96h - Algae [1]	1.452 mg/l Test organisms (species):

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>coumarin (91-64-5)</b>	
NOEC (chronic)	0.5 mg/l Test organisms (species): Duration: '21 d'
NOEC chronic fish	0.191 mg/l Test organisms (species): Duration: '30 d'
<b>linalool (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>thymol (89-83-8)</b>	
LC50 - Fish [1]	4.67 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	4.46 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>cineole (470-82-6)</b>	
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>bornan-2-one (76-22-2)</b>	
LC50 - Fish [1]	33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.23 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.3 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>alpha-pinene (80-56-8)</b>	
LC50 - Fish [1]	0.303 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.475 mg/l Test organisms (species): Daphnia magna
<b>caryophyllene (87-44-5)</b>	
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.033 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>(E)-anethole (4180-23-8)</b>	
LC50 - Fish [1]	≈ 7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	≈ 4.25 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	≈ 2.44 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>(E)-anethole (4180-23-8)</b>	
NOEC (chronic)	≈ 1.05 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>d-limonene (5989-27-5)</b>	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>camphene (79-92-5)</b>	
LC50 - Fish [1]	0.72 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.72 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.75 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>p-menth-1-en-4-ol (562-74-3)</b>	
LC50 - Fish [1]	15.6 mg/l Test organisms (species):
EC50 - Other aquatic organisms [1]	26.6 mg/l Test organisms (species):
<b>trans-menthone (89-80-5)</b>	
LC50 - Fish [1]	20.973 mg/l Test organisms (species): other:
LC50 - Fish [2]	13 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	> 2.5 mg/l Test organisms (species): other:
EC50 72h - Algae [2]	> 70 mg/l Test organisms (species): other:
EC50 96h - Algae [1]	13.399 mg/l Test organisms (species): other:
<b>p-cymene (99-87-6)</b>	
LC50 - Fish [1]	48 mg/l Test organisms (species): Cyprinodon variegatus
EC50 - Crustacea [1]	3.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.03 mg/l Test organisms (species): Scenedesmus capricornutum
EC50 72h - Algae [2]	2.01 mg/l Test organisms (species): Scenedesmus capricornutum
<b>7-methyl-3-methylocta-1,6-diene (123-35-3)</b>	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.342 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.31 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
<b>3,7-dimethylocta-1,3,6-triene (13877-91-3)</b>	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
<b>cinnamaldehyde (104-55-2)</b>	
LC50 - Fish [1]	2.35 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>cinnamaldehyde (104-55-2)</b>	
EC50 - Crustacea [1]	119.5578 mg/l Test organisms (species): Daphnia magna
NOEC chronic fish	15.159 mg/l Test organisms (species): other: Duration: '28 d'
<b>benzyl benzoate (120-51-4)</b>	
LC50 - Fish [1]	2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	3.09 mg/l Test organisms (species): Daphnia magna

### 12.2. Persistence and degradability

<b>Scent maquis corse</b>	
Persistence and degradability	Not rapidly degradable
<b>indole (120-72-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>3-methylcyclopentane-1,2-dione (765-70-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>delta-3-carene (13466-78-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>citronellol (106-22-9)</b>	
Persistence and degradability	Not rapidly degradable
<b>geraniol (106-24-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>linalyl acetate (115-95-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>nerol (106-25-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>Terpineol (8000-41-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>coumarin (91-64-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>methyl cedryl ether (19870-74-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>linalool (78-70-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>thymol (89-83-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde (67634-15-5)</b>	
Persistence and degradability	Not rapidly degradable

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>cineole (470-82-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>bornan-2-one (76-22-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>alpha-cedrene (469-61-4)</b>	
Persistence and degradability	Not rapidly degradable
<b>alpha-pinene (80-56-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>caryophyllene (87-44-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>(E)-anethole (4180-23-8)</b>	
Persistence and degradability	Not rapidly degradable
<b>d-limonene (5989-27-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>camphene (79-92-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>p-menth-1-en-4-ol (562-74-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>trans-menthone (89-80-5)</b>	
Persistence and degradability	Not rapidly degradable
<b>p-cymene (99-87-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>7-methyl-3-methyleneocta-1,6-diene (123-35-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>3,7-dimethylocta-1,3,6-triene (13877-91-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>pin-2(10)-ene (127-91-3)</b>	
Persistence and degradability	Not rapidly degradable
<b>cinnamaldehyde (104-55-2)</b>	
Persistence and degradability	Not rapidly degradable
<b>benzyl benzoate (120-51-4)</b>	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
HP Code	: HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
				

# Scent maquis corse


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601, 650
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC code	: •3Z

#### Transport by sea

Special provisions (IMDG)	: 274, 335, 375, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG)	: A

#### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601, 650
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601, 650
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Abbreviations and acronyms:</b>	
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

<b>Full text of H- and EUH-statements:</b>	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 1	Flammable solids, Category 1
Flam. Sol. 2	Flammable solids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

# Scent maquis corse

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Full text of H- and EUH-statements:</b>	
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

<b>Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:</b>		
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU TDB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.