



Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 7/27/2026 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Scent rouge de fruits Boost
UFI : JQ11-E0MC-U00N-68U5
Product code : 1869431

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use, Consumer use
Use of the substance/mixture : Fragrance composition (fragrance).

1.3. Details of the supplier of the safety data sheet

LAB SAS
rue de la clef des champs
68600 Volgsheim
France
T 0389227765
office@labsys.fr

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: 2,4-dimethylcyclohex-3-ene-1-carbaldehyde; 2-Propenoic acid, 3-phenyl-, methyl ester; (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one; linalyl acetate; geraniol; p-methoxybenzyl acetate; geranyl acetate; ethyl 2,3-epoxy-3-phenylbutyrate; 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one; 3,7-dimethyloctan-3-ol; linalool; Trans-hex-2-en-1-ol; 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one

Hazard statements (CLP)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)

H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.
: P280 - Wear protective gloves, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents and container to a sorting center, in accordance with local regulations.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	geraniol (106-24-1)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,4-dioxacycloheptadecane-5,17-dione	CAS-No.: 105-95-3 EC-No.: 216-133-4	29	Aquatic Chronic 3, H412
linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	7.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
3,7-dimethyloctan-3-ol	CAS-No.: 78-69-3 EC-No.: 201-133-9	7.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one	CAS-No.: 127-41-3 EC-No.: 204-841-6	4.1	Aquatic Chronic 3, H412
benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7	2.9	Aquatic Chronic 3, H412
p-methoxybenzyl acetate	CAS-No.: 104-21-2 EC-No.: 203-185-8	2.9	Skin Sens. 1B, H317
cis-2-tert-butylcyclohexyl acetate	CAS-No.: 20298-69-5 EC-No.: 243-718-1	2.9	Aquatic Chronic 2, H411
2-phenylethanol	CAS-No.: 60-12-8 EC-No.: 200-456-2	2.9	Acute Tox. 4 (Oral), H302 (ATE=1610 mg/kg) Eye Irrit. 2, H319
ethyl butyrate	CAS-No.: 105-54-4 EC-No.: 203-306-4	2	Flam. Liq. 3, H226 Eye Irrit. 2, H319

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4	1.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
α,α -dimethylphenethyl butyrate	CAS-No.: 10094-34-5 EC-No.: 233-221-8	1.4	Aquatic Chronic 2, H411
ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight)
Terpineol	CAS-No.: 8000-41-7 EC-No.: 701-188-3	1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
cis-hex-3-en-1-ol	CAS-No.: 928-96-1 EC-No.: 213-192-8	1	Flam. Liq. 3, H226 Eye Irrit. 2, H319
ethyl 2,3-epoxy-3-phenylbutyrate	CAS-No.: 77-83-8 EC-No.: 201-061-8	0.71	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	CAS-No.: 68039-49-6 EC-No.: 268-264-1 EC Index-No.: 605-043-00-4	0.56	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2-Propenoic acid, 3-phenyl-, methyl ester	CAS-No.: 103-26-4 EC-No.: 203-093-8	0.43	Skin Sens. 1B, H317
(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.28	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5	0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5	0.14	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	CAS-No.: 23696-85-7 EC-No.: 245-833-2	0.14	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411
Trans-hex-2-en-1-ol	CAS-No.: 928-95-0 EC-No.: 213-191-2	0.14	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.071	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aiders	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	--

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight.
- Packaging materials : Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless. Yellow.
Odour	: Fruity. Gourmand.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 72 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.949
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

2-Propenoic acid, 3-phenyl-, methyl ester (103-26-4)

LD50 oral rat	2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2000 - 3410
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

linalyl acetate (115-95-7)

LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit

4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Terpineol (8000-41-7)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4.76 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

cis-hex-3-en-1-ol (928-96-1)

LD50 oral rat	4615 mg/kg bodyweight Animal: rat, 95% CL: 4045 - 6265
LC50 Inhalation - Rat	> 4.99 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethyl maltol (4940-11-8)	
LD50 oral rat	≈ 1220 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1000 - 1440
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
p-methoxybenzyl acetate (104-21-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
cis-2-tert-butylcyclohexyl acetate (20298-69-5)	
LD50 oral rat	4600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2700 - 7800
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg bodyweight Animal: rat, 95% CL: 5450 - 7340
ethyl 2,3-epoxy-3-phenylbutyrate (77-83-8)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
3,7-dimethyloctan-3-ol (78-69-3)	
LD50 oral rat	8270 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
2-phenylethanol (60-12-8)	
LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
LC50 Inhalation - Rat	> 4.63 mg/l air Animal: rat
linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
Trans-hex-2-en-1-ol (928-95-0)	
LD50 oral	> 2000 mg/kg bodyweight Animal:
Skin corrosion/irritation : Causes skin irritation.	
2-Propenoic acid, 3-phenyl-, methyl ester (103-26-4)	
pH	4.6 Temp.: 20 °C Concentration: 299 mg/L
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)	
pH	4.55 Temp.: 29 °C Concentration: 1 other:

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.

2-Propenoic acid, 3-phenyl-, methyl ester (103-26-4)

pH	4.6 Temp.: 20 °C Concentration: 299 mg/L
----	--

4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)

pH	4.55 Temp.: 29 °C Concentration: 1 other:
----	---

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

geraniol (106-24-1)

NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
---	--

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)

LOAEL (animal/female, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
-----------------------------	--

NOAEL (animal/male, F0/P)	11.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
---------------------------	--

NOAEL (animal/female, F1)	> 10 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
---------------------------	--

Terpineol (8000-41-7)

NOAEL (animal/male, F0/P)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
---------------------------	---

NOAEL (animal/female, F0/P)	> 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
-----------------------------	---

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

linalyl acetate (115-95-7)

NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
-------------------------------------	--

Terpineol (8000-41-7)

NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	---

cis-hex-3-en-1-ol (928-96-1)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

ethyl maltol (4940-11-8)

NOAEL (oral, rat, 90 days)	≥ 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
----------------------------	---

geraniol (106-24-1)

NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:
-------------------------------------	--

p-methoxybenzyl acetate (104-21-2)

NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	---

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

cis-2-tert-butylcyclohexyl acetate (20298-69-5)	
LOAEL (oral, rat, 90 days)	37 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
geranyl acetate (105-87-3)	
NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:
ethyl 2,3-epoxy-3-phenylbutyrate (77-83-8)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:
3,7-dimethyloctan-3-ol (78-69-3)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
2-phenylethanol (60-12-8)	
NOAEL (dermal, rat/rabbit, 90 days)	510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	
3,7-dimethyloctan-3-ol (78-69-3)	
Viscosity, kinematic	13.393 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

2-Propenoic acid, 3-phenyl-, methyl ester (103-26-4)	
LC50 - Fish [1]	2.76 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	24 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	7.6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)	
LC50 - Fish [1]	6.8 mg/l Test organisms (species): Leuciscus idus

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)	
LC50 - Fish [2]	1.376 mg/l Test organisms (species): other:
EC50 72h - Algae [1]	50.26 mg/l Test organisms (species): Chlorella vulgaris
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.173 mg/l Test organisms (species): other: Duration: '28 d'
Terpineol (8000-41-7)	
LC50 - Fish [1]	62 – 80 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
cis-hex-3-en-1-ol (928-96-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 76 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	27 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	7.2 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
p-methoxybenzyl acetate (104-21-2)	
LC50 - Fish [1]	13.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	31 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	59.9 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	38 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
cis-2-tert-butylcyclohexyl acetate (20298-69-5)	
LC50 - Fish [1]	5.6 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic fish	0.8 mg/l Test organisms (species): Pimephales promelas Duration: '33 d'

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

geranyl acetate (105-87-3)	
LC50 - Fish [1]	68.12 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	14.1 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	3.72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ethyl 2,3-epoxy-3-phenylbutyrate (77-83-8)	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	52 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	36 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	42 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
α,α-dimethylphenethyl butyrate (10094-34-5)	
LC50 - Fish [1]	$\approx$ 8.901 mg/l Test organisms (species):
EC50 - Crustacea [1]	$\approx$ 15.4 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	$\approx$ 4.766 mg/l Test organisms (species):
3,7-dimethyloctan-3-ol (78-69-3)	
LC50 - Fish [1]	8.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	14.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	21.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
2-phenylethanol (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l Test organisms (species): Daphnia magna
linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Trans-hex-2-en-1-ol (928-95-0)	
EC50 72h - Algae [1]	226 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

Scent rouge de fruits Boost	
Persistence and degradability	Not rapidly degradable
2,4-dimethylcyclohex-3-ene-1-carbaldehyde (68039-49-6)	
Persistence and degradability	Not rapidly degradable

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Propenoic acid, 3-phenyl-, methyl ester (103-26-4)	
Persistence and degradability	Not rapidly degradable
(E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	
Persistence and degradability	Not rapidly degradable
linalyl acetate (115-95-7)	
Persistence and degradability	Not rapidly degradable
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one (127-41-3)	
Persistence and degradability	Not rapidly degradable
Terpineol (8000-41-7)	
Persistence and degradability	Not rapidly degradable
cis-hex-3-en-1-ol (928-96-1)	
Persistence and degradability	Not rapidly degradable
benzyl acetate (140-11-4)	
Persistence and degradability	Not rapidly degradable
ethyl maltol (4940-11-8)	
Persistence and degradability	Not rapidly degradable
geraniol (106-24-1)	
Persistence and degradability	Not rapidly degradable
1,4-dioxacycloheptadecane-5,17-dione (105-95-3)	
Persistence and degradability	Not rapidly degradable
p-methoxybenzyl acetate (104-21-2)	
Persistence and degradability	Not rapidly degradable
cis-2-tert-butylcyclohexyl acetate (20298-69-5)	
Persistence and degradability	Not rapidly degradable
geranyl acetate (105-87-3)	
Persistence and degradability	Not rapidly degradable
ethyl butyrate (105-54-4)	
Persistence and degradability	Not rapidly degradable
ethyl 2,3-epoxy-3-phenylbutyrate (77-83-8)	
Persistence and degradability	Not rapidly degradable
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one (23696-85-7)	
Persistence and degradability	Not rapidly degradable
α,α-dimethylphenethyl butyrate (10094-34-5)	
Persistence and degradability	Not rapidly degradable
3,7-dimethyloctan-3-ol (78-69-3)	
Persistence and degradability	Not rapidly degradable

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-phenylethanol (60-12-8)	
Persistence and degradability	Not rapidly degradable
linalool (78-70-6)	
Persistence and degradability	Not rapidly degradable
Trans-hex-2-en-1-ol (928-95-0)	
Persistence and degradability	Not rapidly degradable
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (57378-68-4)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	cis-hex-3-en-1-ol ; Trans-hex-2-en-1-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Scent rouge de fruits Boost ; 2,4-dimethylcyclohex-3-ene-1-carbaldehyde ; linalyl acetate ; Terpineol ; cis-hex-3-en-1-ol ; geraniol ; p-methoxybenzyl acetate ; geranyl acetate ; ethyl 2,3-epoxy-3-phenylbutyrate ; 3,7-dimethyloctan-3-ol ; 2-phenylethanol ; linalool ; Trans-hex-2-en-1-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	Scent rouge de fruits Boost ; 2,4-dimethylcyclohex-3-ene-1-carbaldehyde ; 4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one ; geranyl acetate ; ethyl 2,3-epoxy-3-phenylbutyrate ; α,α -dimethylphenethyl butyrate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Scent rouge de fruits Boost

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU TDB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.