



Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 9/9/2026 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Scent tiaré et jasmin
UFI : UDH1-Y0N8-7008-9NG6
Product code : 2644536

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use, Consumer use
Use of the substance/mixture : Fragrance composition (fragrance).

1.3. Details of the supplier of the safety data sheet

LAB SAS
rue de la clef des champs
68600 Volgsheim
France
T 0389227765
office@labsys.fr

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

: Warning

Contains

: benzyl salicylate; linalool; α -hexylcinnamaldehyde; linalyl acetate; [3R-(3 α ,3a β ,6 α ,7 β ,8a α)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate; 2-benzylideneheptanal; 3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers; geraniol; Cyclohexanemethanol, 4-(1-methylethyl)-; d-limonene; 3-(p-cumenyl)-2-methylpropionaldehyde; citronellol; 7-hydroxycitronellal; alpha-iso-methylionone; p-methoxybenzyl acetate; Eugenol; isoeugenol

Hazard statements (CLP)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)

H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.
: P273 - Avoid release to the environment.
P280 - Wear protective gloves, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents and container to a sorting center, in accordance with local regulations.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	geraniol (106-24-1)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5	14	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	7.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-phenylethanol	CAS-No.: 60-12-8 EC-No.: 200-456-2	6.8	Acute Tox. 4 (Oral), H302 (ATE=1610 mg/kg) Eye Irrit. 2, H319
benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7	5.8	Aquatic Chronic 3, H412
α -hexylcinnamaldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3	5.3	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4	5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate	CAS-No.: 77-54-3 EC-No.: 201-036-1	4.9	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3	3.6	Eye Irrit. 2, H319
2-benzylideneheptanal	CAS-No.: 122-40-7 EC-No.: 204-541-5	2.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2	2.1	Eye Irrit. 2, H319
ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7	1.9	Eye Irrit. 2, H319
methyl anthranilate	CAS-No.: 134-20-3 EC-No.: 200-945-0	1.7	Eye Irrit. 2, H319
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers	CAS-No.: 7212-44-4 EC-No.: 230-597-5	1.6	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Terpineol	CAS-No.: 8000-41-7 EC-No.: 701-188-3	1.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319
geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5	1.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Cyclohexanemethanol, 4-(1-methylethyl)-	CAS-No.: 5502-75-0 EC-No.: 939-719-8	1.3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
1,4-dioxacycloheptadecane-5,17-dione	CAS-No.: 105-95-3 EC-No.: 216-133-4	1.3	Aquatic Chronic 3, H412
d-limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	0.85	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412
3-(p-cumenyl)-2-methylpropionaldehyde	CAS-No.: 6658-48-6 EC-No.: 229-695-0	0.81	Skin Irrit. 2, H315 Skin Sens. 1B, H317
citronellol	CAS-No.: 106-22-9 EC-No.: 203-375-0	0.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
A mixture of cis- and trans-cyclohexadec-8-en-1-one	CAS-No.: 3100-36-5 EC-No.: 401-700-2 EC Index-No.: 606-046-00-3	0.63	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
isobutyl salicylate	CAS-No.: 87-19-4 EC-No.: 201-729-9	0.44	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
[3R-(3 α ,3 β ,7 β ,8 α)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	CAS-No.: 469-61-4 EC-No.: 207-418-4	0.39	Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
7-hydroxycitronellal	CAS-No.: 107-75-5 EC-No.: 203-518-7	0.28	Eye Irrit. 2, H319 Skin Sens. 1B, H317
alpha-iso-methylionone	CAS-No.: 127-51-5 EC-No.: 204-846-3	0.26	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
p-methoxybenzyl acetate	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.19	Skin Sens. 1B, H317
[3R-(3 α ,3 β ,7 β ,8 α)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene	CAS-No.: 546-28-1 EC-No.: 208-898-8	0.15	Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1	0.13	Eye Irrit. 2, H319 Skin Sens. 1B, H317
isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X	0.019	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X	(0.01 $\leq$ C $\leq$ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
-----------------------------------	---------------------------------

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	--

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Packaging materials	: Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow. brown. Green.
Odour	: Floral. Soft.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 97 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.991
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

benzyl salicylate (118-58-1)

LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
--------------------	--

linalool (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
---------------	---

LD50 oral	3120 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
-----------	---

LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
--------------------	--

2-phenylethanol (60-12-8)

LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
--------------------	--

LC50 Inhalation - Rat	> 4.63 mg/l air Animal: rat
-----------------------	-----------------------------

benzyl acetate (140-11-4)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
---------------	--

linalyl acetate (115-95-7)

LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
---------------	-------------------------------------

LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
--------------------	--

[3R-(3 α ,3a β ,6 α ,7 β ,8 α)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate (77-54-3)

LD50 oral rat	44750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 33650 - 59520
---------------	--

tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral)), Guideline: OECD Guideline 401 (Acute Oral Toxicity)
---------------	--

LD50 dermal rat	> 2000 mg/kg Source: HSDB
-----------------	---------------------------

LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
--------------------	---

2-benzylideneheptanal (122-40-7)

LD50 oral rat	3730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 3190 - 4370
---------------	---

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

vanillin (121-33-5)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethyl vanillin (121-32-4)	
LD50 oral rat	> 3160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
methyl anthranilate (134-20-3)	
LD50 oral rat	2800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2300 - 3300
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 10 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)	
LD50 oral rat	> 2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
Terpineol (8000-41-7)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 4.76 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
Cyclohexanemethanol, 4-(1-methylethyl)- (5502-75-0)	
LD50 oral rat	> 10000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
1,4-dioxacycloheptadecane-5,17-dione (105-95-3)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
d-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
A mixture of cis- and trans-cyclohexadec-8-en-1-one (3100-36-5)	
LD50 oral	> 10000 mg/kg bodyweight Animal:
isobutyl salicylate (87-19-4)	
LD50 oral rat	1310 mg/kg bodyweight Animal: rat
7-hydroxycitronellal (107-75-5)	
LD50 oral rat	> 6400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7-hydroxycitronellal (107-75-5)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
alpha-iso-methylionone (127-51-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
p-methoxybenzyl acetate (104-21-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Eugenol (97-53-0)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 oral	1500 – 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Skin corrosion/irritation	: Causes skin irritation.
2-benzylideneheptanal (122-40-7)	
pH	4.53 Temp.: 26,8 °C Concentration: 1 vol%
alpha-iso-methylionone (127-51-5)	
pH	5.44 Temp.: 30 °C Concentration: 1 other:
Serious eye damage/irritation	: Causes serious eye irritation.
2-benzylideneheptanal (122-40-7)	
pH	4.53 Temp.: 26,8 °C Concentration: 1 vol%
alpha-iso-methylionone (127-51-5)	
pH	5.44 Temp.: 30 °C Concentration: 1 other:
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
geraniol (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
7-hydroxycitronellal (107-75-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
benzyl salicylate (118-58-1)	
NOAEL (animal/female, F0/P)	158 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
ethyl vanillin (121-32-4)	
NOAEL (animal/female, F0/P)	500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

methyl anthranilate (134-20-3)	
NOAEL (animal/female, F0/P)	556 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Terpineol (8000-41-7)	
NOAEL (animal/male, F0/P)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	> 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
d-limonene (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
3-(p-cumenyl)-2-methylpropionaldehyde (6658-48-6)	
NOAEL (animal/female, F1)	≥ 300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: EPA OPPTS 870.3500 (Preliminary Developmental Toxicity Screen)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
isoeugenol (97-54-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
benzyl salicylate (118-58-1)	
NOAEL (oral, rat, 90 days)	177 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
2-phenylethanol (60-12-8)	
NOAEL (dermal, rat/rabbit, 90 days)	510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
linalyl acetate (115-95-7)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)	
NOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Guideline: EU Method B.28 (Sub-Chronic Dermal Toxicity Test: 90-Day Repeated Dermal Dose Study Using Rodent Species)
methyl anthranilate (134-20-3)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Terpineol (8000-41-7)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
geraniol (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:
Cyclohexanemethanol, 4-(1-methylethyl)- (5502-75-0)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
1,4-dioxacycloheptadecane-5,17-dione (105-95-3)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
3-(p-cumenyl)-2-methylpropionaldehyde (6658-48-6)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.9 (Repeated Dose (28 Days) Toxicity (Dermal)), Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
citronellol (106-22-9)	
NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.063 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
7-hydroxycitronellal (107-75-5)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
alpha-iso-methylionone (127-51-5)	
NOAEL (oral, rat, 90 days)	30 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	50 mg/kg bodyweight Animal: rat, Guideline: other:
p-methoxybenzyl acetate (104-21-2)	
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Eugenol (97-53-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
NOAEL (subchronic, oral, animal/female, 90 days)	450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.16 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.691 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.29 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
2-phenylethanol (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l Test organisms (species): Daphnia magna
benzyl acetate (140-11-4)	
LC50 - Fish [1]	4 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	110 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	92 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic fish	0.92 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'
linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
[3R-(3α,3aβ,6α,7β,8α)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate (77-54-3)	
LC50 - Fish [1]	≈ 15.61 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.33 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.31 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)	
LC50 - Fish [1]	354 mg/l Source: ECAH
EC50 - Crustacea [1]	≈ 320 mg/l Test organisms (species): Daphnia magna

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)	
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
2-benzylideneheptanal (122-40-7)	
LC50 - Fish [1]	0.91 mg/l Test organisms (species): not specified
EC50 - Crustacea [1]	0.28 mg/l Test organisms (species): Daphnia sp.
EC50 72h - Algae [1]	> 1.5 mg/l Test organisms (species): not specified
EC50 72h - Algae [2]	2.3 mg/l Test organisms (species): not specified
NOEC (chronic)	0.041 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
vanillin (121-33-5)	
LC50 - Fish [1]	57 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	36.79 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	120 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ethyl vanillin (121-32-4)	
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	26.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
methyl anthranilate (134-20-3)	
LC50 - Fish [1]	32.35 mg/l Test organisms (species): other:
LC50 - Fish [2]	22.91 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	43.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	111.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	1.71 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC chronic fish	1.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '28 d'
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)	
LC50 - Fish [1]	1.43 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	510.3 µg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Terpineol (8000-41-7)	
LC50 - Fish [1]	62 – 80 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Terpineol (8000-41-7)	
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Cyclohexanemethanol, 4-(1-methylethyl)- (5502-75-0)	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	13 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	10 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
1,4-dioxacycloheptadecane-5,17-dione (105-95-3)	
LC50 - Fish [1]	1.23 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	2.13 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	> 6.94 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	14.579 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	0.788 mg/l Test organisms (species): other:
d-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
3-(p-cumenyl)-2-methylpropionaldehyde (6658-48-6)	
LC50 - Fish [1]	11.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	1.44 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
citronellol (106-22-9)	
LC50 - Fish [1]	14.66 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	17.48 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	2.4 mg/l Test organisms (species):

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

A mixture of cis- and trans-cyclohexadec-8-en-1-one (3100-36-5)	
LC50 - Fish [1]	0.75 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Other aquatic organisms [1]	0.23 mg/l Test organisms (species):
EC50 72h - Algae [1]	> 1.35 mg/l Test organisms (species): other:
isobutyl salicylate (87-19-4)	
EC50 - Crustacea [1]	3.96 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.745 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.69 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
7-hydroxycitronellal (107-75-5)	
LC50 - Fish [1]	31.6 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	410 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	123.32 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
alpha-iso-methylionone (127-51-5)	
LC50 - Fish [1]	10.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	9 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 20 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
p-methoxybenzyl acetate (104-21-2)	
LC50 - Fish [1]	13.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	31 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	59.9 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	38 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.05 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

Scent tiaré et jasmin	
Persistence and degradability	Not rapidly degradable
benzyl salicylate (118-58-1)	
Persistence and degradability	Not rapidly degradable
linalool (78-70-6)	
Persistence and degradability	Not rapidly degradable
2-phenylethanol (60-12-8)	
Persistence and degradability	Not rapidly degradable

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl acetate (140-11-4)	
Persistence and degradability	Not rapidly degradable
α-hexylcinnamaldehyde (101-86-0)	
Persistence and degradability	Not rapidly degradable
linalyl acetate (115-95-7)	
Persistence and degradability	Not rapidly degradable
[3R-(3α,3aβ,6α,7β,8aα)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate (77-54-3)	
Persistence and degradability	Not rapidly degradable
tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)	
Persistence and degradability	Not rapidly degradable
2-benzylideneheptanal (122-40-7)	
Persistence and degradability	Not rapidly degradable
vanillin (121-33-5)	
Persistence and degradability	Not rapidly degradable
ethyl vanillin (121-32-4)	
Persistence and degradability	Not rapidly degradable
methyl anthranilate (134-20-3)	
Persistence and degradability	Not rapidly degradable
3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)	
Persistence and degradability	Not rapidly degradable
Terpineol (8000-41-7)	
Persistence and degradability	Not rapidly degradable
geraniol (106-24-1)	
Persistence and degradability	Not rapidly degradable
Cyclohexanemethanol, 4-(1-methylethyl)- (5502-75-0)	
Persistence and degradability	Not rapidly degradable
1,4-dioxacycloheptadecane-5,17-dione (105-95-3)	
Persistence and degradability	Not rapidly degradable
d-limonene (5989-27-5)	
Persistence and degradability	Not rapidly degradable
3-(p-cumenyl)-2-methylpropionaldehyde (6658-48-6)	
Persistence and degradability	Not rapidly degradable
citronellol (106-22-9)	
Persistence and degradability	Not rapidly degradable
A mixture of cis- and trans-cyclohexadec-8-en-1-one (3100-36-5)	
Persistence and degradability	Not rapidly degradable

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

isobutyl salicylate (87-19-4)	
Persistence and degradability	Not rapidly degradable
[3R-(3α,3aβ,7β,8α)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (469-61-4)	
Persistence and degradability	Not rapidly degradable
7-hydroxycitronellal (107-75-5)	
Persistence and degradability	Not rapidly degradable
alpha-iso-methylionone (127-51-5)	
Persistence and degradability	Not rapidly degradable
p-methoxybenzyl acetate (104-21-2)	
Persistence and degradability	Not rapidly degradable
[3R-(3α,3aβ,7β,8α)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene (546-28-1)	
Persistence and degradability	Not rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Not rapidly degradable
isoeugenol (97-54-1)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) (63500-71-0)	
Partition coefficient n-octanol/water (Log Pow)	1.65 Source: ECHA

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.

Scent tiaré et jasmin



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
HP Code	: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601, 650
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 375, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601, 650
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601, 650
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	benzyl salicylate ; linalool ; 2-phenylethanol ; linalyl acetate ; [3R-(3α,3aβ,6α,7β,8αα)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate ; tétrahydro-2-isobutyl-4-méthylpyran-4-ol, mélange d'isomères (cis et trans) ; 2-benzylideneheptanal ; methyl anthranilate ; 3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers ; Terpeneol ; geraniol ; Cyclohexanemethanol, 4-(1-methylethyl)- ; d-limonene ; 3-(p-cumenyl)-2-methylpropionaldehyde ; citronellol ; isobutyl salicylate ; 7-hydroxycitronellal ; alpha-iso-methylionone ; p-methoxybenzyl acetate ; Eugenol ; isoeugenol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	benzyl salicylate ; benzyl acetate ; [3R-(3α,3aβ,6α,7β,8α)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate ; 2-benzylideneheptanal ; 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers ; Cyclohexanemethanol, 4-(1-methylethyl)- ; 1,4-dioxacycloheptadecane-5,17-dione ; d-limonene ; A mixture of cis- and trans-cyclohexadec-8-en-1-one ; isobutyl salicylate ; alpha-iso-methylionone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)
Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method

Scent tiaré et jasmin

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU TDB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.